COUNT ON IT

Hydraulic Ta T-70HT / T-110H





12K hydraulic winch with cable is standard. It is positioned at the front of the 10-foot upper deck of the HT trailer.



Hydraulic tail creates a low load angle and easy approach. Rear tail section folds under when in transport position.



Easily haul several types of equipment with the HT trailer by Towmaster.

Description:

The T-70HT and T-110HT trailers by Towmaster® are designed for the rental and construction industries. They feature a perimeter frame design, a fifth-wheel gooseneck with top deck, hydraulic folding tail, and 12,000 lb. winch. LED lights, Angelim Pedra wood deck, hi-tensile fabricated steel beam frame, dual parking jacks, and driver side controls are also standard. Several configurations and options are available.

Quick Specs:

- 39" deck height (empty)
- 8'-6"deck width
- 43' to 48' overall length
- 10'-0" top deck
- · Air ride suspension and air brakes
- Dump valve and pressure gauge
- 12K hydraulic winch/cable
- · Hydraulic fold-under tail
- · LED lights and sealed wiring

towmaster.com

800-462-4517

U.S.A. BUILT EMPLOYEE OWNED AMERICA'S BEST TRAILER








GALVANIZING AVAILABLE



Photos may show optional equipment.



T-70HT / T-110HT



GVWR (lbs/kg) 8 GAWR (lbs/kg) 4 Approx. Weight (lbs/kg) 4 Approx. Weight (lbs/kg) 6 Overall Length (ft-in/mm) 7 Deck Height (empty)(in/mm) 7 Deck Length (ft-in/mm) 8 Overall Width (ft-in/mm) 7 GOOSENECK Gooseneck Type 7 Top Deck Length (ft-in/mm) 8 Swing Clearance (in/mm) 7 Truck Height (in/mm) 7 Truck Height (in/mm) 7 Truck Height (in/mm) 12 Truck Height (in/mm)	S=Standard O T-70HT 0,0000 / 31,751 17,800 / 39,825 5,400 / 20,593 17,800 / 8074 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184 49 / 1245	T-110HT 110,000 / 49,895 132,800 / 60,237 68,100 / 30,890 22,800 / 10,342 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184		
Capacity Rating (lbs/kg) 7 GVWR (lbs/kg) 8 GAWR (lbs/kg) 4 Approx. Weight (lbs/kg) 4 Approx. Weight (lbs/kg) 4 Approx. Weight (lbs/kg) 6 Overall Length (ft-in/mm) 7 Deck Height (empty)(in/mm) 7 Deck Length (ft-in/mm) 8 Overall Width (ft-in/mm) 7 GOOSENECK Gooseneck Type 7 Top Deck Length (ft-in/mm) 8 Swing Clearance (in/mm) 7 Truck Height (in/mm) 7 Cly Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable 7 FRAME / RAMP\$	0,000 / 31,751 7,800 / 39,825 5,400 / 20,593 17,800 / 8074 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	110,000 / 49,895 132,800 / 60,237 68,100 / 30,890 22,800 / 10,342 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048		
GVWR (lbs/kg) 8 GAWR (lbs/kg) 4 Approx. Weight (lbs/kg) 4 Approx. Weight (lbs/kg) 4 Overall Length (ft-in/mm) Deck Height (empty)(in/mm) Deck Length (ft-in/mm) Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	7,800 / 39,825 5,400 / 20,593 17,800 / 8074 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	132,800 / 60,237 68,100 / 30,890 22,800 / 10,342 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048		
GAWR (lbs/kg) Approx. Weight (lbs/kg) Overall Length (ft-in/mm) Deck Height (empty)(in/mm) Deck Length (ft-in/mm) Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	5,400 / 20,593 17,800 / 8074 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	68,100 / 30,890 22,800 / 10,342 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048		
Approx. Weight (lbs/kg) Overall Length (ft-in/mm) Deck Height (empty)(in/mm) Deck Length (ft-in/mm) Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	17,800 / 8074 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	22,800 / 10,342 See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048		
Overall Length (ft-in/mm) Deck Height (empty)(in/mm) Deck Length (ft-in/mm) Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	See drawing 39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048		
Deck Height (empty)(in/mm) Deck Length (ft-in/mm) Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	39 / 991 See drawing 8-6 / 2591 Tapered 10-0 / 3048		
Deck Length (ft-in/mm) Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	See drawing 8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	See drawing 8-6 / 2591 Tapered 10-0 / 3048		lutejane ta ta timo de la
Overall Width (ft-in/mm) GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	8-6 / 2591 Tapered 10-0 / 3048 86 / 2184	8-6 / 2591 Tapered 10-0 / 3048		
GOOSENECK Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	Tapered 10-0 / 3048 86 / 2184	Tapered 10-0 / 3048		
Gooseneck Type Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	10-0 / 3048 86 / 2184	10-0 / 3048		
Top Deck Length (ft-in/mm) Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	10-0 / 3048 86 / 2184	10-0 / 3048		
Swing Clearance (in/mm) Truck Height (in/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	86 / 2184			
Truck Height (In/mm) (2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$		96 / 2494	100 20 30 200 200 200 200 200 200	
(2) Bolt-on Telescoping Parking Jacks 12K Hydraulic Winch with cable FRAME / RAMP\$	49 / 1245	00/2104		
12K Hydraulic Winch with cable FRAME / RAMP\$		49 / 1245		THE RESERVE THE RESERVE TO SERVE THE RESERVE THE RESER
12K Hydraulic Winch with cable FRAME / RAMP\$	25K	25K	THE RESERVE OF THE PARTY OF THE	The state of the s
	S	S	Name of the second second	
Main Beam M	fg. Cambered	Mfg. Cambered		
Crossmembers	8" I-beam	8" I-beam	(AU)	Land of the second of the second
Crossmember Spacing (in/mm)	12 / 305	12 / 305		a section and the section of the sec
Deck Material Nom	2" Angelim Pedra	Nom 2" Angelim Pedra		
6' Hyd. Deck Ramp w/Tapered Gooseneck Approach	Ö	Ö	THE PARTY OF STREET	
8' Hyd. Deck Ramp w/Tapered Gooseneck Approach	0	0		
Tie Downs (4'-0" centers) (total/Side) S	Stake Pockets	Stake Pockets		
Hyd. Tail (ft-in x in/mm)	12-0" / 3658	12-0" / 3658	ATTENDED	
SUSPENSION / TIRE\$				
Suspension	Air	Air		Marin Soy and a substitute of the
No. of Axles	2	3		
Axle Capacity (each) (lbs/kg) 22	2,500 / 10,206	22,500 / 10,206		CONTRACTOR OF THE PROPERTY OF
Axle Spread (in/mm)	49 / 1245	49 / 1245		
Hubs	Oil Bath	Oil Bath	end all were sortered as the	
	5x7.5 / 311x191	12.25x7.5 / 311x191	ndes transport of the second	
Air Brakes (Full ABS Modulated, Park Brake All Axles)	S	S		
	x6.75 / 445x171	17.5x6.75 / 445x171		
Wheel Bolt Pattern	8-bolt	8-bolt		
	5/75R17.5 / H	235/7517.5 / H		

STANDARD EQUIPMENT

- S.A.E. King Pin
- 7-pole round electrical plug
- · Weather resistant sealed modular wiring
- Grommet mounted LED lights
- Registration holder
- Rust inhibiting primer
- Durable, rust inhibiting top coat
- Die-cut UV resistant vinyl decals
- D.O.T. approved conspicuity tape
- Mud flaps
- Trailer color: Equipment black

OPTIONAL EQUIPMENT Other options may be available. Ask your dealer or visit our web site.

- Deck ramp with tapered gooseneck
- 20K winch
- Remote control
- Self-contained hydraulic unit
- Dual hydraulic controls
- 2-speed 25K parking jacks
- Additional deck length
- Several deck traction options
- Several tie-down options
- Aluminum wheel options

- Spare tire and wheel mount
- Spare tire and wheel
- Light options
- Color options: Construction Yellow, Equipment Red, Blue, Charcoal

Download PDF



AMERICA'S BEST TRAILER

U.S.A. DESIGNED AND BUILT IN LITCHFIELD, MN

QUALIFICATION AND CERTIFICATION FORM

EXHIBIT "D" VENDORS QUALIFICATION

PURPOSE

4.1

This exhibit shall serve as a requirement to enable the evaluation team to assess the qualifications of Vendors under consideration for final award.

The information may or may not be a determining factor in award. SECTION 4.0

CONTRACT NUMBER: 111714, New or Used Hydraulic Tail Equipment Trailer

Name, Address, and Telephone Number of Principal Vendor:

The applicant submitting this Proposal warrants the following:

	RDO EQUIPMENT CO.
	2649 N. 29TH AV. PHOENIX AZ 85009
	602-415-4700 /860-293-7111
4.2	Has Vendor (under its present or any previous name) ever failed to complete a contract?
	YesNo. If "Yes", give details including the date, the contracting agency, and
	the reason Vendor failed to perform in the narrative part of this Contract.
4.3	Has Vendor (under its present or any previous name) ever been disbarred or prohibited from competing for a contract? Yes No. If "Yes", give details, including the date, the contracting agency, the reasons for the Vendors disqualifications, and whether this disqualification remains in effect in the pervetive part of this Contract.
	disqualification remains in effect in the narrative part of this Contract.
4.4	Has a contracting agency ever terminated a contract for cause with Vendor (under the Vendors present or any previous name)? Yes

Qualification & Certification Form continued...

- 4.5 Vendor must also provide at least the following information:
 - a. A Cost Proposal shall be submitted on the Price Sheet, attached hereon and made a full part of this contract by this reference.
 - b. Gila County reserves the right to request additional information.

Signature of A	uthorized Representative
_	BARTHOLOM
Printed Name	

REFERENCE LIST

These references are required to enable the evaluation team to assess the qualifications of the Vendors under consideration for final award.

The information may or may not be a determining factor in award.

References

List at least four (4) customers for whom you have provided service of a similar scope as this Request for Proposals during the past twelve months, in or as close to Gila county as possible.

CUSTOMER NAME AND ADDRESS	<u>TELEPHONE</u> <u>PRI</u>	MARY CONTACT
SAN CAPLOS APACHE RENTAL	928-475-2221	BOB MOUNTE
ARIZONA DEPT OF TRANS.	602-712-6506	JACK OREYEL
CITY OF SCOTTS DALE	480-312-5574	TORI RAYMOND
TOWN OF WICKING BURG	928-684-2761	VINCE LOREFICE

Signature of Authorized Person to Sign

RIBELT BANTHOLOMIN

Printed Name

PROUNT MANAGEL

Title

LEGAL ARIZONA WORKERS ACT COMPLIANCE

Vendor hereby warrants that it will at all times during the term of this Contract comply with all federal immigration laws applicable to Vendor's employment of its employees, and with the requirements of A.R.S. § 23-214 (A) (together the "State and Federal Immigration Laws"). Vendor shall further ensure that each subcontractor who performs any work for Vendor under this contract likewise complies with the State and Federal Immigration Laws.

County shall have the right at any time to inspect the books and records of Vendor and any subcontractor in order to verify such party's compliance with the State and Federal Immigration Laws.

Any breach of Vendor's or any subcontractor's warranty of compliance with the State and Federal Immigration Laws, or of any other provision of this section, shall be deemed to be a material breach of this Contract subjecting Vendor to penalties up to and including suspension or termination of this Contract. If the breach is by a subcontractor, and the subcontract is suspended or terminated as a result, Vendor shall be required to take such steps as may be necessary to either self-perform the services that would have been provided under the subcontract or retain a replacement subcontractor, as soon as possible so as not to delay project completion.

Vendor shall advise each subcontractor of County's rights, and the subcontractor's obligations, under this Article by including a provision in each subcontract substantially in the following form:

"Subcontractor hereby warrants that it will at all times during the term of this contract comply with all federal immigration laws applicable to Subcontractor's employees, and with the requirements of A.R.S. § 23-214 (A). Subcontractor further agrees that County may inspect the Subcontractor's books and records to insure that Subcontractor is in compliance with these requirements. Any breach of this paragraph by Subcontractor will be deemed to be a material breach of this contract subjecting Subcontractor to penalties up to and including suspension or termination of this contract."

Any additional costs attributable directly or indirectly to remedial action under this Article shall be the responsibility of Vendor. In the event that remedial action under this Article results in delay to one or more tasks on the critical path of Vendor's approved construction or critical milestones schedule, such period of delay shall be deemed excusable delay for which Vendor shall be entitled to an extension of time, but not costs.

Signature of Authorized Representative

AFFIDAVIT BY VENDOR CERTIFYING THAT THERE WAS NO COLLUSION IN BIDDING FOR CONTRACT

STATE OF ARIZONA)
OOUNTYOF:)
ROSERT BARTHOLOMON
(Name of Individual) being first duly sworn, deposes and says:
That he is
ACCOUNT MANAGEN (Title)
of 200 squarest co.
and (Name of Business)
That he is bidding on Gila County Request for Proposals No. 111714 – One New or Used Hydraulic Tail Trailer and,
That neither he nor anyone associated with the said
has, directly or indirectly entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with the above mentioned project. ROO CRUIPMENT CO. Name of Business By Manual College Title
Subscribed and sworn to before me this

Commission Expires MARCH 2, 2018

PRICE SHEET

Complete and Return this form(s) for the total price being proposed. Attach any pertinent cost breakdowns, sub-totals of component cost, etc. to this proposal-pricing page.

Vendor Name:	RDO	EQUIPMENT	Co.	
Trailer Make & Mod	lel: 7	WMASTER		

SPECIFICATIONS	Meets Spe	ecifications
New or Used Hydraulic Tail Equipment Trailer	<u>Yes</u>	<u>No</u>
70,000 lb. capacity	X	
102" wide	X	
48' long	×	
12" cross member spacing	X	
Paint 2-part polyurethane	X	
50,000 lb. im 6' 5000 lb. im 10'		X
10' Upper deck	7	
16" King pin setting	×	
49" 5th Wheel ht.	يد	
1 % "apitong raised decking on main deck & hydraulic ramps	<u>بر</u>	
Single drop deck	X	
Stake pockets every 48"	×	
"D" rings recessed every 48" (N: 2 DRK: 7 FALL: 2	×	
"D" rings recessed every 48"	×	
20,000 lb. hydraulic winch	X	
Wireless remote winch control		
Winch mounted above king pin with winch guard	X	
65' of cable /20 '	X	
24 hp Honda (or equivalent) hydraulic power unit mounted below top deck (mounted in slope at upper deck) ### ### ############################	k	
1/4 " floor plate on upper deck	X	

76" of star traction material over steel on the tail and fold-under	
	X
11' tail with 46" folder under 12 TAIL 8' FAIL Y FOLD VADA	X
Air ride raise and lower kit	X
Ht 2500S, 28 suspension (or equivalent) RIDIFIEL RAPLYO 25K	K
Wabco 492m ABS(or equivalent)	×
Spare wheel & tire	-
2 speed landing gear, crank on curb side	K
8' hydraulic recessed lower to upper deck ramp	X
Added pair of mid turn lights mounted 1/2 & 2/3 the length	*
LED lighting	~
235/75Rx 17.5 tires & steel disk wheels (or equivalent)	
12 ¼" x 7 ½" brakes	X
49" axle spacing	X X X
2 – 22,500 lb. axles	X
1/4" floor plate over wheels	X
Red & white conspicuity markers	>
Must comply with all applicable DOT & safety standards	*
COST OF NEW HYDRAULIC TAIL EQUIPMENT TRAILER	\$73454.00
OTHER RELATED COSTS	\$.
TAXES 8.3 /. e/ry	\$ 8814 48
	\$88365.16
A CONTROL OF THE SECTION OF THE SECT	
COST OF USED HYDRAULIC TAIL EQUIPMENT TRAILER (2012 or Newer)	\$.
OTHER RELATED COSTS	\$
TAXES	\$
TOTAL COST OF USED HYDRAULIC TAIL EQUIMENT TRAILER	,
Estimated Date of Delivery: 4//8//5	·

	Delivery:	
Delivery Location:	Gla County Public Works, 1000 Besich Blvd., Gobe, AZ, or other site v	vhich may be
designated.		,

VENDOR CHECKLIST

NOTICE IS HEREBY GIVEN that all Bid Documents shall be completed and/ or executed and submitted with this RFP. If Vendor fails to complete and/ or execute any portion of the Bid Documents, this RFP will be determined to be "non-responsive" and rejected.

CHECKLIST:

REQUIRED DO	CUMENT			COMPLE	ETED / EXECUTE	2
QUALIFICATIO RERERENCE LI LEGAL AZ WOF NON COLLUSIO PRICE SHEET OFFER PAGE	ST RKERSACT COM			- - -		
ACKNOWLEDGME	NT OF RECEIP	T OF ADDEND)A:			
	#1	#2	#3	#4	#5	
Initials		-				
Date						
Signed and dated th	nis <u>/o</u> _da	ay of <u>FEBA</u>	LUARY	/ _,2015		
	RIDOR	0 J. 2 M	1547	<i>C</i> 0		
\overline{v}	/ENDOR:	4 -11 /				
			3			
E	BY:	A decidence of the second	and the same of th			

Each proposal shall be sealed in an envelope addressed to the Public Works Division, GIa County and bearing the following statement on the outside of the envelope: Bid No. 111714, New Hydraulic Tail Equipment Trailer. All proposals shall be filed with the GIa County Finance Department at 1400 E. Ash St., Globe, AZ on or before 3:00 PM, Wednesday, February 11, 2015.

OFFER PAGE

TO GILA COUNTY:

Vendor Submitting Proposal:

Vendor.

The undersigned hereby offers and agrees to furnish the equipment, material or service in compliance with all terms and conditions, instruction, specifications, and any amendments contained in this Request for Proposal document.

Signature also certifies the Vendors bid proposal is genuine, and is not in any way collusive or a sham; that the bid proposal is not made with the intent to restrict or prohibit competition; that the Vendor submitting the proposal has not revealed the contents of the proposal to, or in any way colluded with, any other Vendor which may compete for the contract; and that no other Vendor which may compete for the contract has revealed the contents of a proposal to, or in any way colluded with, the Vendor submitting this proposal.

CONTRACT NO.: 111714 New Hydraulic Tail Equipment Trailer

Company Name 2649 J. 29 Th AV. Address Process City State Zip	Name: <u>ROSENT BANTHOLOME</u> Phone No.: <u>602 - 741 - 32 48</u> Fax No.: <u>602 - 233 - 0383</u> Email: <u>Chartholomen</u> (do casioned co
	Signature of Authorized Representative **Documents** *Printed Name**

Proposal must be signed by a duly authorized officer(s) eligible to sign contract documents for the

For clarification of this offer, contact:

Offer 1	<u>Page</u>	continue	<u>:d</u>
---------	-------------	----------	-----------

The Vendor RDO EQJAMENT CO, is now bound to provide the materials or services listed in RFP No.: 111714, including all terms and conditions, specifications, amendments, etc. and the Vendor's Offer as accepted by County/public entity.

The Vendor has been cautioned not to commence any billable work or to provide any material or service under this Contract until Vendor receives this signed sheet, or written notice to proceed.

GILA	A COUNTY BOARD OF SUPERVISORS
	Awarded this day of, 2015
	Michael A. Pastor, Chairman of the Board
ATTI	EST
	Marian Sheppard, Clerk of the Board
APPR	ROVED AS TO FORM
	Bryan B. Chambers, Deputy County Attorney/Civil Bureau Chi

for Bradley D. Beauchamp, County Attorney